

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20010022668").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 17:23
L2	3	("6401150").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 17:24
L3	940	(bypass\$5 adj2 controller\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:24
L4	2	(bypass\$5 adj2 controller\$2) with printer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:25
L5	2	("20020036793").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 17:25
L6	2	("6545769").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 17:27
L7	645	(interactiv\$5 adj2 print\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:27
L8	44	(interactiv\$5 adj2 print\$5 adj2 job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:27

L9	0	(bypass\$5 adj2 interactiv\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:29
L10	3	(bypass\$5 with interactiv\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:30
L11	0	(interactiv\$5 adj2 print\$5 adj2 job\$5) with (stack\$5 with type\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:30
L12	0	(interactiv\$5 adj2 print\$5 adj2 job\$5) with (stack\$5 with type\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:30
L13	44	(interactiv\$5 adj2 print\$5 adj2 job\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:30
L14	1	(bypass\$5 mutual\$5) with (buffer\$5 spool\$5) with (print\$5 near7 type\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:30
L15	1	(bypass\$5 mutual\$5) with (buffer\$5 spool\$5) with (print\$5 near7 type\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:30
L16	9	bypass\$5 with (print\$5 adj2 (type\$5 data\$5 job\$5)) with (buffer\$5 spooler\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:30
L17	6	((direct\$5 mutual\$5 bypass\$5) adj4 print\$5 adj2 (job\$5 data\$5 type\$5)) with (postscript\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:31
L18	906	(bypass\$5 adj2 controller\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:31

L19	3	(bypass\$5 adj2 controller\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:31
L20	2	(GASSHO near4 KAZUHITO and NAKAOKA near4 YASUSHI).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:33
L21	96	(GASSHO near4 KAZUHITO or NAKAOKA near4 YASUSHI).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:33
L22	22	(interactiv\$5 with print\$5 near2 job\$2).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:49
L23	1	(interactiv\$5 with print\$5 near2 job\$2 same (mutual\$5 adj1 communicat\$5)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:49
L24	3	(bypass\$5 adj2 controller\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:49
L25	12	(bypass\$5 adj2 controller\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:49
L26	50	(bypass\$5 near4 controller\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L27	102	(bypass\$5 near4 (controller\$5 spooler\$5 buffer\$5)) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L28	3	(bypass\$5 adj2 controller\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50

L29	12	(bypass\$5 adj2 controller\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L30	9	L25 not L19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L31	50	(bypass\$5 near4 controller\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L32	41	L26 not L30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L34	1	(bypass\$5 near4 (controller\$5 spooler\$5 buffer\$5)) with (postscript\$5 interactive\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L37	102	(bypass\$5 near4 (controller\$5 spooler\$5 buffer\$5)) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L42	0	(mutual\$5 direct\$5) adj2 (communicat\$5) with (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5) with (print\$5 adj2 job\$5 adj2 type\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L43	1	(mutual\$5 direct\$5) adj2 (communicat\$5) same (print\$5 image\$5 adj2 form\$5 adj2 apparatus\$5 record\$5 adj2 apparatus\$5 copy adj2 machine\$5) same (print\$5 adj2 job\$5 adj2 type\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L44	103	(stor\$5 stack\$5) adj3 only\$5 adj4 (header\$5 predetermin\$5 adj2 type)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50

L45	0	(stor\$5 stack\$5) adj3 only\$5 adj4 (header\$5 predetermin\$5 adj2 type) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L47	0	(bypass\$5 adj2 (buffer\$5 spooler\$5 server\$5)) same (interrupt\$5 adj2 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L48	0	(bypass\$5 with (buffer\$5 spooler\$5 server\$5)) same (interrupt\$5 adj2 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L49	0	(mutual\$5 direct\$5) adj2 (communicat\$5) same (interrupt\$5 adj2 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L50	1087	(mutual\$5 direct\$5) adj2 (communicat\$5) same (interrupt\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L52	27	(bypass\$5 near4 queue\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L55	0	(determin\$5 adj4 type\$5 near7 print\$5 adj2 (data\$5 job\$5 image\$5 condition\$5)) same bypass\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L56	0	(determin\$5 adj4 type\$5 near7 print\$5 adj2 (data\$5 job\$5 image\$5 condition\$5)) same (bypass\$5 mutual\$5 adj2 communicat\$5 direct\$5 adj2 communicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L57	1	(determin\$5 with type\$5 with print\$5 adj2 (data\$5 job\$5 image\$5 condition\$5)) same (bypass\$5 mutual\$5 adj2 communicat\$5 direct\$5 adj2 communicat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L58	991	(determin\$5 with type\$5 with print\$5 adj2 (data\$5 job\$5 image\$5 condition\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50

L60	5008	(type\$5 near4 print\$5 adj2 (data\$5 job\$5 image\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L61	18	(type\$5 near4 print\$5 adj2 (data\$5 job\$5 image\$5)) with (postscript\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L63	51	(type\$5 with print\$5 adj2 (data\$5 job\$5 image\$5)) with (postscript\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L64	20	L63 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L66	195	(direct\$5 adj3 print\$5) same postscript\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L68	2990	print\$5 adj4 without\$5 with (stor\$5 buffer\$5 spool\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L69	515	print\$5 adj4 without\$5 with (buffer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L71	189	print\$5 adj4 without\$5 with (buffer\$5 near4 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L73	35	without\$5 adj2 stor\$5 adj4 buffer\$5 same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L75	43	(type\$2 adj2 print\$5 adj2 data) with (bypass\$5 direct\$5 mutual\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50

L77	0	(bypass\$5 adj2 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same print\$5 adj2 job\$5 adj2 type\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L78	0	(bypass\$5 adj2 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same print\$5 adj2 (job\$5 type\$5) adj2 type\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L79	0	(bypass\$5 adj2 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same print\$5 adj2 (job\$5 type\$5 information\$5) adj2 type\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L80	2592	(bypass\$5 adj2 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L82	50	(bypass\$5 adj2 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L85	1	(bypass\$5 adj2 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same postscript\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L86	1	(bypass\$5 adj4 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same postscript\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L87	3	(bypass\$5 with (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same postscript\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L88	4665	(bypass\$5 adj4 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L89	14	(bypass\$5 adj4 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) and postscript\$5 and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50

L91	806	(bypass\$5 adj4 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) and print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L94	165	(bypass\$5 adj4 (buffer\$5 storag\$5 server\$5 spooler\$5 controller\$5)) same (print\$5 record\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L95	81	L94 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L97	24	(mutual\$5 adj2 communication\$5) with print\$5 adj2 (data\$5 job\$5 image\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L98	9	L97 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L99	20	(interactiv\$5 adj2 print\$5) with queue\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L100	9	L99 and @ad<"20000124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L101	1459	(without adj4 queue\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L102	30	(without adj4 queue\$5) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L105	9972	(bypass\$5 adj2 control\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50

L106	30	(bypass\$5 adj2 control\$5) with print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L108	0	(stack\$5 adj2 job adj2 header\$5 adj2 only)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L109	0	(stack\$5 adj2 job adj2 header\$5 near4 only)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L110	0	(stack\$5 stor\$5) adj2 (job adj2 header\$5) with only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L111	5	(stack\$5 stor\$5) adj2 (job adj2 header\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:11
L112	99	(job\$4 adj2 (header\$5 information\$5)) with buffer\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L114	31	(stor\$5 stack\$5) adj4 (job\$4 adj2 (header\$5 information\$5)) with buffer\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L118	0	(stor\$5 stack\$5) adj4 only\$5 adj4 job\$5 adj2 header\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L119	0	(stor\$5 stack\$5) adj4 only\$5 near8 job\$5 adj2 header\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L120	175764	(stor\$5 stack\$5) adj4 only\$5 near8 withadj2 header\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50

L121	13746	(stor\$5 stack\$5) adj4 only\$5 with (job\$5 aj2 information\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L122	20	(stor\$5 stack\$5) adj4 only\$5 with (job\$5 adj2 information\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L125	0	(stor\$5 stack\$5) adj4 only\$5 with (job\$5 adj2 header\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L126	0	(stor\$5 stack\$5) near7 only\$5 with (job\$5 adj2 header\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L127	45	(stor\$5 stack\$5) near7 only\$5 with (job\$5 adj2 information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L132	7	(determin\$5 near4 type\$5) with print\$5 adj2 (job\$5 adj2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 17:50
L137	19529	(358/1.1, 358/1.9, 358/1.11-1.16, 358/400, 358/404, 358/444, 358/500, 358/523, 400/62, 400/76).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:12
L138	2509	137 and @rlad<"20010123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 18:13